
	Application Number	10/664,628
	Filing Date	09/19/2003
	First Named Inventor	K. Inoue
	Art Unit	1771
	Examiner Name	A. Piziali
	Attorney Docket Number	KIN90USA
Total Number of Pages in This Submission		18


ENCLOSURES (Check all that apply)

<input checked="" type="checkbox"/> Fee Transmittal Form <input checked="" type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below): Check for \$500.00
Remarks		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name	Howson and Howson		
Signature			
Printed name	George A. Smith, Jr.		
Date	08/03/2006	Reg. No.	24,442

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:			
Signature			
Typed or printed name	George A. Smith, Jr.	Date	08/03/2006

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

FEE TRANSMITTAL
For FY 2006

AUG 08 2006

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL FILING PAYMENT (\$) 500.00

Complete if Known

Application Number	10/664,628
Filing Date	09/19/2003
First Named Inventor	K. Inoue
Examiner Name	A. Piziali
Art Unit	1771
Attorney Docket No.	KIN90USA

METHOD OF PAYMENT (check all that apply)☒ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): _____☒ Deposit Account Deposit Account Number: 08-3040 Deposit Account Name: Howson and Howson

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee☒ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☒ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

FEE CALCULATION (All the fees below are due upon filing or may be subject to a surcharge.)**1. BASIC FILING, SEARCH, AND EXAMINATION FEES**

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid (\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	300	150	500	250	200	100	
Design	200	100	100	50	130	65	
Plant	200	100	300	150	160	80	
Reissue	300	150	500	250	600	300	
Provisional	200	100	0	0	0	0	

2. EXCESS CLAIM FEES**Fee Description**

Each claim over 20 (including Reissues)

Each independent claim over 3 (including Reissues)

Multiple dependent claims

Fee (\$)	Small Entity Fee (\$)
50	25
200	100
360	180

Total Claims	Extra Claims	Fee (\$)	Fee Paid (\$)
---------------------	---------------------	-----------------	----------------------

- 20 or HP = _____ x _____ = _____

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims	Extra Claims	Fee (\$)	Fee Paid (\$)
----------------------	---------------------	-----------------	----------------------

- 3 or HP = _____ x _____ = _____

HP = highest number of independent claims paid for, if greater than 3.

3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).


Total Sheets	Extra Sheets	Number of each additional 50 or fraction thereof	Fee (\$)	Fee Paid (\$)
---------------------	---------------------	---	-----------------	----------------------

- 100 = _____ / 50 = _____ (round up to a whole number) x _____ = _____

4. OTHER FEE(S)


Non-English Specification, \$130 fee (no small entity discount)

Other (e.g., late filing surcharge): Brief on Appeal**Fees Paid (\$)**\$500.00**SUBMITTED BY**

Signature		Registration No. (Attorney/Agent) 24,447	Telephone 215-540-9200
Name (Print/Type)	George A. Smith, Jr.		Date 08/03/2006

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Application No.: 10/664628
Applicant: K. Inoue
Filed: 09/19/2003
TC/A.U.: 1771
Examiner: A. Piziali
Docket No.: KIN90USA
Customer No. 00270

Confirmation No: 5070

BRIEF ON APPEAL

MAIL STOP Appeal Brief - Patents
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING
UNDER 37 C.F.R. §1.8(a)(1)(ii)
(PATENT)

I certify that this paper is being deposited on the date shown below with the United States Postal Service, with sufficient postage, as first class mail and is addressed to "Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450."

Signed
Date:

George A. Smith
August 3, 2006

Sir:

This appeal is from the rejection in the Office Action dated March 9, 2006, which was a third rejection of the claims in this application.

A check for the fee of \$500.00 for filing this Appeal Brief is attached. The Commissioner is hereby requested to charge any deficiency in the fee due with the filing of this paper, or credit any overpayment, to our Deposit Account, No. 08-3040.

The Notice of Appeal was filed June 12, 2006. This brief is therefore timely. However, please grant an extension of

Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

time if necessary, and charge any extension fee to the above-mentioned deposit account.

I. REAL PARTY IN INTEREST

The real party in interest is the inventor's assignee, Ichikawa Co., Ltd., a Japanese corporation, located at 14-15, Hongo 2-chome, Bunkyo-ku, Tokyo, Japan.

II. RELATED APPEALS AND INTERFERENCES

None.

III. STATUS OF CLAIMS


The pending claims are claims 1, 3, 5 and 7. The applicant appeals the rejection of all of the claims.

IV. STATUS OF AMENDMENTS

There are no outstanding amendments.

V. SUMMARY OF CLAIMED SUBJECT MATTER In a papermaking machine, as depicted in FIG. 1, reproduced below, a wet paper

web WW, represented by a broken line, is typically moved through a part of the machine known as a "press part" (PP), which consists of a press roll PR, a fixed press shoe PS opposed to the press roll, and a shoe press belt SB, that travels around the shoe, between the shoe and the press roll.



The wet paper web WW is first carried on a press felt PF1, transferred to a second press felt PF2, and carried by press felt PF2 into the press part PP,¹ where water is squeezed out of the wet paper web WW and taken up by the press felt PF2.² In the press part, the wet paper web WW is transferred to a transfer belt TB, which carries the wet paper web away from the press part.³ In a subsequent stage, the wet paper web

¹Specification, paragraph 0005, page 1, lines 31-33.

²Specification, paragraph 0006, page 2, lines 5-6.

³Specification, paragraph 0008, page 2, lines 23-25.

is taken off the transfer belt and transferred to a dryer fabric DF by a suction roll SR.⁴

A transfer belt has two conflicting requirements. It is important for the wet paper web to be attached to the surface of the transfer belt immediately after the wet paper web moves out of the press part.⁵ On the other hand, release of the wet paper web from the transfer belt at the suction roll is also important.⁶ The belt also has another requirement: avoidance of excessive rewetting, that is, return of water to the wet paper web as the wet paper web moves out of the press part.⁷

The invention is a transfer belt that achieves these objectives more effectively over a long period of time. That is, the wet paper web adheres well to the transfer belt as it moves out of the press part, but can be removed smoothly from the transfer belt at the drying stage of the papermaking process.⁸ The invention is also capable of avoiding excessive water retention by the transfer belt itself.⁹

⁴Specification, paragraph 0007, page 2, lines 18-21.

⁵Specification, paragraph 0008, page 2, lines 23-25.


⁶Specification, paragraph 0008, page 2, lines 25-27.

⁷Specification, paragraph 0006, page 2, lines 9-13.

⁸Specification, paragraph 0017, page 5, lines 4-9.

⁹Specification, paragraph 0048, page 10, lines 20-22.

As shown in FIG. 5, the transfer belt 10 comprises a base body 30, a wet paper web side layer 11, which is contacted by the wet paper web WW, and a machine side layer 12, which is contacted by the press roll PR.¹⁰



The machine side layer 12 comprises a batt layer composed of fibers. The fibers of the batt layer are intertwined with the machine side of the base body 30.¹¹

The base body 30 is typically a woven fabric.¹² The wet paper web side layer 11 is formed from an elastic material 50 and a fiber body 20.¹³ Fibers of the fiber body 20 protrude from the surface of the elastic section, and one characteristic feature of the invention is that the average

¹⁰Specification, paragraph 0036, page 7, lines 5-8.

¹¹Specification, paragraph 0049, page 10, lines 24-26.

¹²Specification, paragraph 0059, page 13, lines 27-30.

¹³Specification, paragraph 0036, page 7, lines 9-10.

length of the protruding parts of the fibers is between 0.01 and 3 mm.¹⁴

The average density of the protruding parts of the fibers is preferably in the range of 10 to 500,000 fibers per square centimeter¹⁵, and the protruding parts of may be formed by processing the surface of the elastic section¹⁶, for example, by grinding with sandpaper, whetstone, or the like, thereby exposing a part of the batt layer¹⁷.

The performance of transfer belts in accordance with the invention is compared with other transfer belts in FIG. 13, where evaluations of web adhesion immediately after the press part, web removal, and rewetting are tabulated for various average fiber lengths and average fiber densities. Excellent results were obtained with Examples 2-5, where the fiber lengths were within the range of 0.01 and 3 mm as in claim 1, and the fiber density was within the range of 10 to 500,000 as in claim 3. When the fiber lengths were outside the high end of the claimed range, e.g. 6.80 mm as in Example 7, adhesion at the exit of the press part deteriorated, and excessive rewetting occurred.

¹⁴Specification, paragraph 0019, page 5, lines 22-23 and paragraph 0040, page 8, lines 9-12.

¹⁵Specification, paragraph 0046, page 9, lines 31-34.

¹⁶Specification, paragraph 0020, page 5, lines 25-31.

¹⁷Specification, paragraph 0049, page 10, lines 33-35.

In Example, 1, at a fiber density of 3 pcs/cm², which is below the low end of the range set forth in claim 3, adhesion of the wet paper web WW was excessively high and it could not be transferred smoothly to the dryer fabric.¹⁸ Example 6, where the fiber density was above the high end of the range set forth in claim 3, rewetting performance was slightly inferior, in that the moisture content of the wet paper web after it moved out of the press part was higher than in Examples 1-5.¹⁹

In summary, therefore, the claimed range of lengths of the exposed fibers results in good adhesion, and also avoids excessive rewetting provided that the fiber density is not too high. Further, when the fiber density is also within the range set forth in claim 3, smooth removal can be achieved.

VI. GROUND OF REJECTION TO BE REVIEWED ON APPEAL

(a) Rejection of claims 1 and 5 under §103 on Gstrein, Hagfors and either Lundstrom '588 or Lundstrom '643.

(b) Rejection of claims 3 and 7 under §103 on Gstrein, Hagfors and either Lundstrom '588 or Lundstrom '643, further in view of Valentine.

Each of the above rejections, a and b, depends on Gstrein for a disclosure of a wet paper web transfer belt having

¹⁸Specification, paragraph 0074, page 17, line 36 - page 18, line 2.

¹⁹Specification, paragraph 0074, page 18, lines 2-5.

Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

fibers, parts of which are embedded and parts of which protrude from a web-contacting surface. Each rejection also depends on Hagfors, Patent 6,605,188, for a disclosure of fibers having an average protruding height between 0.001 and 0.03 mm²⁰, and on Lundstrom for a disclosure of elastomeric polymers. According to the Examiner, "it would have been obvious. . . to make the fibers (of Gstrein) protrude between 0.001 to 0.03 mm"

(c) Rejection of claims 1 and 5 under §103 on Hagfors in view of either Lundstrom '588 or Lundstrom '643.

(d) Rejection of claims 3 and 7 under §103 on Hagfors in view of either Lundstrom '588 or Lundstrom '643, further in view of Valentine.

Each of rejections c and d depends on Hagfors, Patent 6,605,188, for a disclosure of fibers having an average protruding height between 0.001 and 0.03mm, and on Lundstrom for a disclosure of elastomeric polymers.

The Examiner has also asserted that, in the event it is shown that Hagfors does not teach or suggest the claimed protruding fiber length, it would have been obvious to vary the fiber length from 0.01 to 3 mm because

"it is understood by one of ordinary skill in the art that the protruding fiber material affects the ability of the transfer belt to detach a fiber web and because it has been held that discovering an optimum value of a

²⁰ A range of 0.001 to 0.03 mm would overlap the range of 0.01 to 3 mm in the claims.

result effective variable involves only routine skill in the art."²¹

VII. ARGUMENT

(a) Hagfors does not teach that the length of exposed fibers should be in the Applicant's claimed range.

No separate argument is being made for the dependent claims. All of the rejections depend on Hagfors, and the dispositive issue in this case is whether or not Hagfors teaches that the average length of the protruding parts of fibers protruding from the web-contacting surface of an elastic section should be between 0.01 and 3 mm.

In the rejections, the Examiner asserts that Hagfors shows that it is known in the papermaking belt art "to use fibers with an average protruding height of between 0.001 to 0.03 mm," citing Hagfors' column 4, lines 17-40. What the cited portion of Hagfors actually teaches is that ". . . the surface of the polymer matrix . . . [is] ground so that the batt fibres reach the surface of the transfer belt. A test that was carried out showed that a transfer belt roughness

²¹Office action of March 9, 2006, page 4.

where $2 < R_z < 80 \text{ } \mu\text{m}$ and $1 < R_a < 30 \text{ } \mu\text{m}$ is advantageous."²² The 1 - 30 μm range for R_a in translates to 0.001 to 0.30 mm.

The Examiner's reliance on the 0.001 to 0.30 mm. surface roughness range in Hagfors implies that the range overlaps the Applicant's claimed range of 0.01 to 3 mm. Indeed, if one looks at the numbers by themselves, the ranges do overlap. However, when the dimensions to which the numbers apply are taken into account, there is no overlap at all.

The problem is that surface roughness and the lengths of protruding fibers are two entirely different things. Hagfors' own description points out that surface roughness is related to two factors, neither of which is fiber length. At column 1, line 67 - column 2, line 2, Hagfors states that surface roughness "can be controlled not only by the roughness of the abrasive means but also by the degree of fineness of the fibers."

Nowhere does Hagfors say that the average length of protruding parts of the fibers is between 0.01 and 3 mm. The only information concerning fiber length in Hagfors is the statement at column 3, lines 12 and 13, that the fiber length "may be typically 10 to 150 mm before needling." Moreover, Hagfors' FIG. 1 depicts surface fibers some of which are oblique, and others of which are parallel to the belt surface. In the case of the oblique fibers, about one-half of the

²² R_a is an average based on measurements of all peaks and valleys of a surface roughness profile. R_z is an average based on a selected number of highest peaks and deepest valleys in a surface roughness profile.

length of each fiber is exposed. In the case of the fibers oriented parallel to the surface, the entire length of the fiber is exposed. Based on the description and drawings, the only deduction that can be made concerning the average length of the protruding parts of the fibers is that it would be at least about 5 mm, well in excess of Applicant's claimed upper limit of 3 mm. As shown in Applicant's FIG. 12, examples 2-5, in which the average length of the protruding parts of the fibers was between 0.01 and 3 mm, were far superior to example 7, in which the average length of the protruding parts was 6.8 mm.

(b) It has not been shown that it would have been obvious to optimize the average length of exposed fibers.

As noted above, the Examiner's position is that, if it is shown that Hagfors does not teach or suggest the claimed protruding fiber lengths, the Applicant's claimed range of 0.01 to 3 mm would have been obvious because "discovering an optimum value of a result effective variable involves only routine skill in the art." The key phrase here is "result effective." As pointed out by the Court of Customs and Patent Appeals in In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977), it is not obvious to vary a parameter if there is no evidence that the prior art recognized that the particular parameter would affect the result.

Hagfors does not teach that exposed fiber length has an effect on a result. On the contrary, as mentioned above, Hagfors' desired result, a specific range of surface roughness, is controlled by the roughness of the abrasive


Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

means and by the degree of fineness of the fibers. There is no mention in Hagfors that varying the lengths of the fibers has an effect, nor is there support in the record for the Examiner's assertion (at pages 4 and 7 of the Office action) concerning the understanding of one skilled in the art, much less the essential implication of that assertion, namely that it is understood in the art that the *average length of the protruding parts of the fibers* affects the ability of a transfer belt to detach a fiber web. Thus, there is no basis for concluding that it would have been obvious to find an optimum fiber length through experimentation.

(c) Conclusion

In summary, Hagfors does not teach a wet paper web transfer belt in the average length of the protruding parts of fibers which protrude from an elastic section is between 0.01 and 3 mm, nor does Hagfors demonstrate that adopting the claimed range would have been an obvious matter of routine optimization. Since all of the rejections depend on Hagfors for a teaching of the Applicant's claimed range, the rejections are in error and should be reversed.

Respectfully submitted,
HOWSON & HOWSON

By 
George A. Smith, Jr.
Reg. No. 24,442
Howson & Howson
Suite 210
510 Office Center Drive
Fort Washington, PA 19034
Telephone: 215 540 9200
Facsimile: 215 540 5818

Enclosure:
(a) appeal fee

VIII. CLAIMS APPENDIX

1. A wet paper web transfer belt for use in the press part of a closed draw papermaking machine, comprising a base body, a wet paper web side layer having an elastic section, said elastic section having a wet paper web-contacting surface, and a machine side layer, said belt having fibers, parts of which are embedded in said elastic section, and parts of which protrude from said web-contacting surface, wherein the average length of the protruding parts of said fibers is between 0.01 and 3 mm.

2(cancelled).

3. A wet paper web transfer belt as claimed in claim 1, wherein the average density of the protruding parts of said fibers is in the range of 10 to 500,000 fibers/cm².

4(cancelled).

5. A wet paper web transfer belt as claimed in claim 1, wherein the protruding parts of said fibers are formed by processing the surface of said elastic section.

6(cancelled).

Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

7. A wet paper web transfer belt as claimed in claim 3, wherein the protruding parts of said fibers are formed by processing the surface of said elastic section.

8-12(cancelled)

Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

IX. EVIDENCE APPENDIX

None

Serial No. 10/664628
Filed 09/19/2003
Brief on Appeal

X. RELATED PROCEEDINGS APPENDIX

None